

AREBOS

Pool cover



Follow all safety precautions in this user manual to ensure safe use.

Thank you for your trust in AREBOS.

Table of contents

1.	Important safety instructions	2
2.	Preparation and assembly	3
3.	Scope of delivery	4
4.	Specifications	4
5.	Disposal Notice	5
5.1.	Disposal and packaging	5
5.2.	Disposal of old equipment	5
	Imprint	6

Thank you for purchasing our product. Please read the user manual carefully before using the product for the first time. If you leave the product to a third party, this operating manual must be handed over with it.

1. Important safety instructions

- Please check the article for completeness before using it.
- Before you start mounting the item, please read the user manual carefully.
- This pool cover is not a safety cover. Do not allow people/children to enter the cover.
- This pool cover does not release you from your duty of supervision. Due to the acute risk of drowning, the pool cover must never be submerged.
- The product has a solar and cooling function and is UV-resistant. The blue side is for the cooling function and the black side ensures that the water can heat up.
- Prevent algae formation by adding winter protection to the pool water before covering.
- Protect your pool from frost damage by placing ice pressure pads or winter cushions on the surface of the water before covering the pool.


2. Preparation and assembly

Pool:

- Add winter protection product to the water in an appropriate amount. Then drain the water down to under the built-in parts (winter lowering).
- The distance from the water surface to the edge of the pool, plus the overlap on the edge of the pool, must be taken into account when ordering. If necessary, the next larger pool cover should be ordered here.
- Remove any sharp-edged/pointed objects around the pool so that they cannot damage the pool cover.

Pool cover:

- Thread the tension rope alternately through all the eyelets around the cover (see illustration).




- Then pass one of the rope ends through opening A of the turnbuckle, the other end through opening B. Finally, pull both ends of the rope through opening C of the turnbuckle drum and knot them. If necessary, the length of the tension cord can be shortened.
- Wind the tension rope onto the turnbuckle drum by turning the crank until the tension rope is sufficiently tensioned.
- The pawl fixes the tensioner position. If you press the pawl, the tensioner position is released and the tension cord can be unwound.

Hibernation:

- Drag the pool cover over the pool and center it
- Place the pool cover along the inside of the pool wall and then over the entire surface of the water. Pay attention to this when installing.
- In the case of built-in pools with pool kerbs, the overhang can be placed around the kerbstones and the pool cover can be attached by means of a turnbuckle.
- In the case of built-in pools without kerbs, you must weigh down the overhang on site.
- For erected pools, place the overlapping pool cover around the edge of the pool.

Built-in pool with surround cover over the entire surface of the water and around the kerbs.

Pitched pool without border cover lies over the entire surface of the water and around the edge of the pool.



- Please make sure that the cover is properly fastened / weighted, otherwise it can fall into the pool due to snow load or strong winds.

3. Scope of delivery



1 x Pool cover



1 x cord tensioner



1 x tension cord

4. Specifications

	4252023127929	4252023127936	4252023127943	4252023127950	4252023127967
Material	Polyethylene	Polyethylene	Polyethylene	Polyethylene	Polyethylene
Material thickness	200g/m ²	200g/m ²	200g/m ²	200g/m ²	200g/m ²
Color	Blue/Black	Blue/Black	Blue/Black	Blue/Black	Blue/Black
Ø	420cm	460cm	520cm	560cm	610cm
Suitable for Ø	320-366cm	366-400cm	420-460cm	460-500cm	500-550cm
Weight	2,5kg	2,95kg	3,8kg	4,4kg	5,05kg
Rope lenght	15 m	17 m	18 m	19 m	21 m

5. Disposal Notice

5.1. Disposal and packaging

- Please ensure that the packaging is disposed of appropriately in accordance with the guidelines and standards applicable in your region. In some cases, the packaging may consist of plastic bags - take special care to ensure that these do not fall into the hands of children. There is a risk of suffocation!

5.2. Disposal of old equipment

- WEEE must be disposed of in accordance with the guidelines and the regulations of local waste disposal.
- At the end of the long life of your item, please dispose of the valuable raw materials properly so that proper recycling can take place. If you are not sure how best to proceed, the local waste disposal companies or recycling centers will be happy to help.

Our customer service number: +49 (0) 931-90803000

Imprint

We, the

Canbolat Vertriebs GmbH, Gneisenaustraße 10-11, 97074 Würzburg, Germany,

hereby declare that the equipment described below, by virtue of its design and construction and in the versions placed on the market by us, complies with the relevant essential health and safety requirements of the EU directives.

Product Name: Arebos Pool Cover Round

SKU: 4252023127929/4252023127936/4252023127943/4252023127950/4252023127967

Model Number: AR-HE-PD420/AR-HE-PD460/AR-HE-PD520/AR-HE-PD560/AR-HE-PD610

If this product is modified without our consent, it loses the right to any warranty.

EU Standard:

(EU) No 143/2011,

(EU) No 125/2012,

(EU) No 348/2013,

(EU) No 895/2014 and

(EU) No. 2017/999 (Annex XIV of EC No 1907/2006)

Date/Signature Manufacturer/Location: Würzburg, 08.04.2025



Signature:

Dipl.-Inform. (Univ.) Korhan Canbolat, Managing Director

Representative of this Instructions for Use/Technical Data:

Dipl.-Inform. (Univ.) Korhan Canbolat, Managing Director

Office Address:

Canbolat Vertriebs GmbH

Gneisenaustraße 10-11

97074 Würzburg

Return address can be found in the imprint: <https://www.arebos.de/impressum/>

Sales tax identification number: DE 263752326

The court of registration in the commercial register is Würzburg, HRB 10082

WEEE-Reg.-Nr. DE 61617071